

"We Help Put America Through School" Data Strategy Enterprise-Wide Routing ID (RID)

Core Team Working Session

September 16, 2003



Agenda


Objective: Provide team additional insight into the RID solution's High Level Design

<u>Agenda</u>

- Overview of RID Solution Process Models
- Change of Affiliation Scenarios
 - Constructing Complex Scenarios
 - Role Absorption and Separation
- Effective Dating




RID Solution Functionality





Business Process Triggers

 Requests will be made of the RID Solution from within numerous business processes. For example, Title IV Eligibility






RID Solution Processes

Processes have been broken down into basic work units. More complex processes (e.g. COA) would be constructed from these basic processes.


Key Process	Description/Inputs		
Generate RID	Describes actual creation of RID within solution. Requires key demographic inputs (varies by role), and effective date.		
Add Roles	Creation of role(s) associated with RID. Requires identification of the RID, effective date.		
Maintain Roles	Modification of role(s) (e.g. expiration, etc). Requires identification of RID, role and date information.		
Add Attribute Data	Includes attribute data at the Entity, Role, and Relationships levels. The attribute data includes the legacy identifiers.		
Maintain Attribute Data	Describes process of maintaining the attribute data.		
Assign Relationships	Assignment of relationships between RID/Role combinations. Requires information regarding the RID/Role, relationship type and effective date		
Maintain Relationships	Describes process of maintaining relationships.		
Reporting	Includes pre-generated, parameter driven, and ad-hoc reports. Inputs vary by report type.		
Communicate RID Data	System to System processes to interface RID solution into enterprise.		



Sample Process Flows within RID




Add a Trading Partner Role






Change of Affiliation – Basic Types





Change of Affiliation – Complex Scenarios

Using the basic COA types, more complex scenarios may be constructed. A 'simple' example of this would be the redesignation. Although this is already a basic type of COA, it also may be accomplished with a combination of other basic types.






Change of Affiliation – Additional Cases

The RID Solution introduces the concept of entity roles and thus introduces additional COA possibilities.






Key Points:

-New entity is formed and thus requires creation of new RID

Role Absorption (Role Merge/Absorbed)



Key Points:

- -Does not require creation of new RID.
- -Follows business rules for absorption if duplicate roles exist.


TOF EDITION OF THE SOUTH OF THE

Effective Dating

Current business processes have capability to 'back date' information. For example, a consolidation between two entities may not be known to FSA until several months after the fact.

Scenario:

- 1. Two entities merge/consolidate on June 30th.
- 2. FSA does not learn of the merger until September 30th, at which time it is entered into the system with a 'back dated' effective date of June 30th.




How will the solution support this scenario?

TOF PURCONING TO STATES OF THE

Effective Dating

Solution will provide time 'perspective' of historical data. That is, at any point in history, the solution should accurately represent the information as it appeared at that point in time. Note this may be different from how it appears in the present.



Key Points:

- 1. Solution must have ability to make changes effective in the past.
- 2. Solution must maintain accuracy on historical data as to the way it looked on 'X' date.
- 3. Solution must provide access to historical perspectives.




Effective Dating

Below is sample* data from example.

Trading Partner						
RID	Trading Partner Name	Creation Date	Effective Date			
11111111	School A	7/1/72	7/1/72			
2222222	School B	7/1/78	7/1/78			

Trading Partner Roles						
RID	Role Code	Business Name	Creation Date	Effective date		
11111111	School	School A	7/1/72	8/1/72		
2222222	School	School B	6/1/78	8/1/78		



^{*} Only portion of data model included for illustrative purposes.